


# ARTESANÍA AUDIO

the high end rack company

ACCESORIES RACK





# ARTESANÍA AUDIO

the high end rack company

# CLASIC LINE

MASTER KIO
EXOTERYC RACK
PRESTIGE RACK
AIR FORCE RACK
KALISTA RACK
AUDIOVIDEO RACK
MINI RACK

# ORGANIC LINE

MODULAR RACK

ABSOLUTE RACK

DAMPERS

DECOUPLING DISCS

SPEAKER BASES

ELECTRONIC BASES

www.artesaniaaudio.com
info@artesaniaaudio.com



#### Technology















CILINDERS UPGRADE



/ KRION / MDF MULTILAYER PLATFORM Carbon fiber 100% 3K Twill

200gr/m2 on both upper and lower faces, with G10 biaxial glas fiber 180 gm/m² inner core. Finishing like fiber arms.



CARBON FIBER ARMS **UPGRADE** 



BEECH WOOD ISOLATION DISC



MASTER KIO AIRE PLATFORM


## Technical Specifications

RACK MASTER WEIGHT			
MODEL	kg	lb	
3 levels	73	161	
4 levels	92	203	
3+3 levels tandem	128	283	
	·		

PLATFORM WEIGHT SUPPORTED		
PLATFORM MODEL	kg	lb
Carbon Fiber / Glass Fiber / Carbon Fiber / Krion	200	441

E	INTERNAL STRUCTURE WEIGHT SUPPORTED			
	MODEL	kg	lb	
<b>&gt;</b>	3 levels	450	992	
:	4 levels	600	1323	
	3+3 levels tandem	900	1984	

/EIGHT SUPPORTED RACK + PLATTFORM (Glass & Krion)				
NODEL	kg	lb		
levels	650	1433		
levels	800	1764		
+3 levels tandem 1100 2425				
• • •				



Any special & custom version upon request

www.artesaniaaudio.com info@artesaniaaudio.com

# EXOTERYC RACK

# **EXOTERYC RACK**

AM ARTESANÍA AUDIO

## Technology











## Technical Specifications

EXOTERYC RACK WEIGHT			
MODEL	kg	lb	
3 levels	50	110	
4 levels	62	137	
3+3 levels tandem	84	185	

INTERNAL STRUCTURE WEIGHT SUPPORTED			
MODEL	kg	lb	
3 levels	170	375	
4 levels	200	441	
3+3 levels tandem	250	551	

PLATFORM WEIGHT SUPPORTED			
PLATFORM MODEL	kg	lb	
Treated glass	150	330	
Krion	150	330	
Server Digital	60	132	

WEIGHT SUPPORTED RACK + PLATTFORM (Glass & Krion		
MODEL	kg	lb
3 levels	320	704
4 levels	350	770
3+3 levels tandem	400	880



3 LEVELS	4 LEVELS	3+3 LEVELS TANDEM
73 cm / 28,74"	98 cm / 38,58"	73 cm / 28,74"
55 cm / 21,65"	55 cm / 21,65"	55 cm / 21,65"
67 cm / 26,37"	67 cm / 26,3	128 cm / 50,39"
52,5 cm / 20,66"	52,5 cm / 20,66"	52,5 cm / 20,66"
46 cm / 19 11"	63 cm / 24 80"	92 cm (2 x 46 cm)
40 (111 / 10,11	03 (111 / 24,00	36,22" (2 x 18,11")
Adaptable on depth		
	73 cm / 28,74" 55 cm / 21,65" 67 cm / 26,37"	73 cm / 28,74" 98 cm / 38,58" 55 cm / 21,65" 55 cm / 21,65" 67 cm / 26,37" 67 cm / 26,3 52,5 cm / 20,66" 52,5 cm / 20,66" 46 cm / 18,11" 63 cm / 24,80"



www.artesaniaaudio.com
info@artesaniaaudio.com

# **EXOTERYC RACK**

# **EXOTERYC RACK**

Versions

#### Technical Construction Details



A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.

#### STAINLESS STEEL TOP ATTACHMENTS ON **RACK UPRIGHTS**

Each top is made with conical recess to support the spikes of the turntable platform.

## **EXTERNAL STRUCTURE**

It's made of metal filled with special particles and elastomers. The uprights have a diameter of 60 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

#### **INTERNAL SUSPENDED** STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of antiresonant protection. This suspended audio rack has a triple decoupling.

#### TEFLON CILINDERS

Support the internal structure and isolates from the external structure. (Diameter 38 mm)



## **6** EARTH TERMINAL

To connect electronics (essential for phono) Check manual to connect properly if is necessary.



#### BRIDGE BAR

Height variable rear rods strengthen the external structure to quarantee stability and ensure free easy access to install components.

## INTERNAL FRAME

These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.



# **O** LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

#### **ISOLATION DISCS**

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.



## (11) STABILIZER BAR

Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack. located at the lowest part of the internal structure. Check manual to use it properly.


## DECOUPLING BASE


Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.











All racks are shipped 95% assembled

www.artesaniaaudio.com

# PRESTIGE RACK

# PRESTIGE RACK















#### Versions






















RACK MODEL	rack weight		weight supporte		
RACK MODEL	kg	lb	kg	lb	
2 levels	24	53	100	220	
3 levels	28	62	150	331	
4 levels	34	75	170	375	
5 levels	41	90	200	441	
6 levels	50	110	225	496	
2+2 tandem	38	84	200	441	
2+2+2 tandem	52	115	250	551	
3+3 tandem	44	97	250	551	
3+3+3 tandem	63	139	300	661	

Rack's depth: 46 cm (adaptable on depth)

\*usable space: total net space between tiers



All racks are shipped 95% assembled

Any special & custom version upon request

www.artesaniaaudio.com info@artesaniaaudio.com



#### **Technical Construction Details**



A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.

#### STAINLESS STEEL TOP **ATTACHMENTS ON** RACK UPRIGHTS

Each top is made with conical recess to support the spikes of the turntable platform.



#### **EXTERNAL STRUCTURE**

It's made of metal filled with special particles and elastomers. The uprights have a diameter of 45 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

## **INTERNAL SUSPENDED** STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of antiresonant protection. This suspended audio rack has a triple decoupling.

#### **TEFLON CILINDERS**

Support the internal structure and isolates from the external structure. (Diameter 30 mm)



#### **6** EARTH TERMINAL

To connect electronics (essential for phono) Check manual to connect properly if is necessary.

#### BRIDGE BAR

Height variable rear rods strengthen the external structure to guarantee stability and ensure free easy access to install components.

## INTERNAL FRAME

These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.



## **O** LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

## (10) ISOLATION DISCS

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.



Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack, located at the lowest part of the internal structure. Check manual to use it properly.

Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.

## **111** STABILIZER BAR

#### **DECOUPLING BASE**



#### Dampers.

Shock absorbers Special antimagnetic and antivibration STANDARD shock absorber 1.4kg. Avoid parasites radio frequency vibratons and interference in digital systems.





#### Optional accessories

(check accessories catalog for more options)



Glass shelve



Floor platform



Turntable platform


www.artesaniaaudio.com

info@artesaniaaudio.com

# AIR FORCE RACK

# AIR FORCE RACK

ARTESANÍA AUDIO





#### Technology







#### WOODEN CRATE INCLUDED



#### **Technical Construction Details**

Specially made by Artesania Audio and Tech Das, for Air Force I, Air Foce II and Air Force O.

Special Acrylic Damping made by special acrylic crystal with an excellent absorption capability for any vibrations developed by Tech Das under Mr. Nishikawa engineering especifications.

Includes krion shelves 12mm

Special black glossy color







All racks are shipped 95% assembled

Dimensions like Exoteryc Rack


Any special & custom version upon request

www.artesaniaaudio.com info@artesaniaaudio.com

# KALISTA RACK



MM/ ARTESANÍA AUDIO





#### Technology



SDS Suspended Double Structure t







#### Technical Construction Details

Tri Rack for Kalista, specially made by Artesania Audio and Metronome Engineering Team, Mr. Clazel (CEO & Head Designer) was personally involved on the final product.

The best support to avoid vibrations and have the best performance posible on the Kalista products.



Each top is made with conical recess to support the spikes of the turntable platform.

#### **EXTERNAL STRUCTURE**

It's made of metal filled with special particles and elastomers. The uprights have a diameter of 45 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

#### DECOUPLING BASE

Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.



#### WOODEN CRATE INCLUDED





All racks are shipped 95% assembled

Any special & custom version upon request



#### **Technical Construction Details**

ADJUSTABLE HEIGHT

Guide to vary de high of the shelves. The shelf is a double sandwich glass of 6 + 6mm with a special treatment in between. Also available 12mm Krion shelves

NEOPRENE PADS

Conical neoprene needles to isolate from vibrations and obtain a better performance in the listening experience.

DECOUPLING BASE

Polyamide discs maximum absorption to avoid vibrations transmitted via soil.








RACK MODEL	rack weight		weight supported		
RACK MUDEL	kg	lb	kg	lb	
2 levels	57	126	160	353	
3 levels	79	174	240	529	
4 levels	106	234	320	705	

Rack's depth: 48 cm (adaptable on depth)

All racks are shipped 95% assembled







Any special & custom version upon request

\*usable space: total net space between tiers


www.artesaniaaudio.com
info@artesaniaaudio.com


# ARTESANÍA AUDIO

# MINI RACK

# MINI RACK

AM ARTESANÍA AUDIO









SDS
Suspended Double Structure tech




AAT
Acoustic Anti-ressonance




MNS
Maximum Neutrality System

#### Technical Specifications

Rack specially made for smaller components



#### Versions



All racks are shipped 95% assembled

Any special & custom version upon request

www.artesaniaaudio.com
info@artesaniaaudio.com

#### Technical Construction Details



#### **PLATFORM**

A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.

#### STAINLESS STEEL TOP **ATTACHMENTS ON RACK UPRIGHTS**

Each top is made with conical recess to support the spikes of the turntable platform.



**EXTERNAL STRUCTURE** 

particles and elastomers. The uprights have a diameter of 45 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

## **INTERNAL SUSPENDED** STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of antiresonant protection. This suspended audio rack has a triple decoupling.



Support the internal structure and isolates from the external structure. (Diameter 30 mm)



**6** EARTH TERMINAL

To connect electronics (essential for phono) Check manual to connect properly if is necessary.

**7** BRIDGE BAR

Height variable rear rods strengthen the external structure to quarantee stability and ensure free easy access to install components.

#### INTERNAL FRAME

These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.



## LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.



#### 10 ISOLATION DISCS

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.



#### STABILIZER BAR

stop the tiniest pendular movement of the internal structure. Four in each rack. located at the lowest part of the internal



#### **DECOUPLING BASE**

Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.



Located in the internal structure they structure. Check manual to use it properly.







www.artesaniaaudio.com

info@artesaniaaudio.com



#### Technology



SDS
Suspended Double Structure tech









#### Technical Construction Details

In addition, it also presents the novelty of using conventional shelves, for those who don't feel like changing things and appreciate the immediate and permanent comfort of this solution.

The shelves are formed by Krion solid surface, Panzerholz wood and a restricted layer of elastomer to provide energy control and a total vibration elimination. The legs of the rack are made of Duralumin, with titanium decoupling tips.


This model will soon have different versions and finishes, which will not leave indifferent any architect or interior designer, allowing an absolute integration with any decoration or environment, whatever the style.


For an absolute personalization, Artesanía Audio will offer the option for the customer to design their own rack with the aesthetics and preferred colours.


#### Technical Specifications

MODULAR RACK WEIGHT			
MODEL	kg	lb	
2 levels	22	48	
3 levels	32	70	
3+3 levels	42	92	

INTERNAL STRUCTURE WEIGHT SUPPORTED			
MODEL	kg	lb	
2 levels	75	165	
3 levels	105	231	
4 levels	125	275	























Flat carton box for delibery

Any special & custom version upon request

www.artesaniaaudio.com
info@artesaniaaudio.com



#### Technology











#### Technical Specifications

ABSOLUTE RACK WEIGHT			
MODEL	kg	lb	
3 levels	120	264	

INTERNAL WEIGHT SUPPORTED				
MODEL	kg	lb		
3 levels	220	485		

#### Technical Construction Details

The materials used in its construction are the best the market has to offer: Krion solid surface, Panzerholz wood, elastomer and Made in Japan thermoplastic screws.


The only metal parts used are the screws that make up the decoupling points of the rack, which are made of Titanium.

The iconic identity of excellence that Artesania Audio has been maintained, by the absence of shelves to support the electronics.

These are supported by Panzerholz wooden discs, which can be moved both horizontally and vertically to perfectly match the size of any component.

In this way, part of the company's technological legacy is respected, while other aspects are improved, such as the use of non-resonant materials that present an absolute synergy such as Krion and Panzerholz.

#### WOODEN CRATE INCLUDED













All racks are shipped 95% assembled

Any special & custom version upon request

www.artesaniaaudio.com
info@artesaniaaudio.com

# ACCESORIES RACK





**ISOLATION BASES** 

THESE BASES CAN BE PLACED IN ANY COMPONENTS OR SPEAKERS TO IMPROVE PERFORMANCE, Price includes 4 stainless steel bases set, 4 speeks, 4 teflon bases, 4 neoprene bases, 4 beech wood bases and box. " Please specified spike diameter before ordering".

Isolator base Ø 30mm

Isolator base Ø 60mm

Isolator base Ø 100mm

**ISOLATION DISCS** 

Beech wood isolation discs to upgrade Exoteryc and Prestige racks. \*Wood box included on the price.

4 units

8 units

12 units

ISOLATING BASES FOR INDIVIDUAL ELECTRONICS

4 units

8 units

12 units

SPECIAL TURNTABLE **PLATFORM** 

AF II

**DAMPERS** 

Standard (1,4kg)

Standard (1,4kg)

MKIII (3,8kg)

DP 20 (12,5 kg)

**DECOUPLING DISCS** 

Improved base

Prestige base

Exoteryc base

PLATFORMS AND SHELVES

Floor platform treated glass

Turntable platform treated glass

Floor Krion platform (5,6cm bicolor, darkgrey, light grey)

Turntable Krion platform (5,6cm bicolor, darkgrey, light grey)

Floor Krion platform (4,4cm darkgrey)

Turntable Krion platform (4,4cm darkgrey)

AIRE platform

Glass Shelve

STAINLESS STEEL PLATFORM FRAME

CARBON FIBER ARMS UPGRADE

CABLE LIFTERS

ISOLATION BASES

Isolation bases adjustable on height to enhance the sound performance of any audio component (Speakers / Turntables / Electronics...) Exchangeable bases made out of Teflon, Neoprene or Beech wood depending on result desired. Available on different diameters, 100 mm Exoteryc Base / 60mm Prestige Base / 30mm Isolator base.

Bases come with screw-in adapters (must be specified) 4mm / 6mm / 8mm



**ISOLATION DISCS** 

Upgrade for our isolation discs in Beech Wood Upgrade for our isolation discs on Exoteryc and Prestige racks

Upgrade for our isolation discs in Beech Wood Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert wich provides stability to place electronic components on the adjustable spikes.

Upgrade for our isolation discs on Exoteryc / Prestige / Aire



**ELECTRONIC BASES** 





#### SPECIAL TURNTABLE PLATFORM

Descriptive text xxxxxxx





www.artesaniaaudio.com info@artesaniaaudio.com

# ACCESORIES RACK

#### DAMPERS

Dampers are **anti-magnetic** and shock absorbing masses that act **against vibrations** generated in electronic components. These could be from power sources (transformers) and could also be a consequence of the ondulatory movement of sound as it bounces back off the furniture and cabinets housing electronic equipment. These air-borne vibrations cause interference and background noise that are detrimental to the listening experience.

With digital reader sources, dampers act as "armour" against radiofrequency signals and other types of waves, and consequently reduce vibrations. When dampers are installed in all electronic components of a sound system, **clearer and** more defined sounds are achieved across all frequencies.

The anti-vibration action of the dampers is equally effective with any other kind of unit from our range.

Dampers provide an extra control across the whole passband. They should be considered as the final touch in **achieving clarity, tone and coherence in sound reproduction** on room

#### STANDARD damper IMPROVED damper




MK-III damper











The objective in our products is absolute **neutrality in sound reproduction**. To obtain our goal, we have created the DECOUPLING DISCS, made out of Teflon, Neoprene or Beech wood depending on result desired.


These products **isolate** the Artesanía Audio Racks from any type of external coming from solid transmission.

**EXOTERYC BASE and PRESTIGE BASE** are coming with damping pads that could make a difference in the sonic performance of the audio system.





EXOTERYC base



## Damping pads included on PRESTIGE and EXOTERYC bases.

Insulating effect, but not absorptive or damping. They don't neoprene, with absorbent or increase the overall absorption coefficient from the cabinet. (most common used in case the



### Black damping pad

The black bases are made of damped effect. They increase the overall absorption coefficient from the cabinet. (most common used in case the room has not been acoustic treated)



#### PLATFORMS Available floor turntable

#### SPECIAL TREATED BLACK GLASS PLATFORM

Exoteryc version dimensions: 72,5 x 57 cm (supports **200 kg**)

**Prestige** version dimensions: **70 x 55 cm** (supports **200 kg**)

Stainless steel anti-magnetic structure supports a specially treated base to set up a turntable or other components.

Usable space: 13 cm

Adjustable decoupling needles for leveling

TURNTABLE KRION PLATFORM

Dimensions: **74.5 x 60 cm** (supports **200 kg**)

It's made of **two-thirds natural minerals** 

(ATH-Aluminium trihydride) and a low

percentage of high ressistance resins.

Usable space: 13 cm

olatform.


Adjustable decoupling

needles for leveling

Available only for Exoteryc Rack.

CARBON / KEVLAR / KRION MULTILAYER PLATFORM Available only for Master Rack also floor platform version. Dimensions: **85 x 67,5 cm** (*supports 200 kq*)

It's made of Carbon Fiber, G-10 Biaxial Glass Fiber 180 g/m<sup>2</sup>, Carbon Fiber and Krion.




#### FLOOR PLATFORM


Available in 2 versions: **74,5 x 60 cm / 70 x 55 cm** (each model supports 200 kg).

\*Special versions upon request. Maintains structural resonance point below 6,5 c/s. Damping pads included. Neopreno and teflon











behavior of the racks and overall sound





## White damping pad

room has been acoustic treated)





www.artesaniaaudio.com

info@artesaniaaudio.com

# ACCESORIES RACK

#### AIRE PLATFORM

## 1 ISOLATION DISCS

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.

## **(2)** TEFLON CILINDERS

Support the internal structure and isolates from the external structure. (Diameter 38 mm)

### **3** DECOUPLING BASE

Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.

#### 4 LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

## (5) INTERNAL SUSPENDED STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of anti-resonant protection. This suspended audio rack has a triple decoupling.




















#### **GLASS SHELVES**

#### SHELVES

While other companies search for solid materials with good antivibrational response, Artesania Audio has developed racks without shelves and totally isolated. The result is that the electronics generate sound behaviors as were initially preconceived. The materials used have natural high frequencies. The combination with the cushioning material achieves the

resonance amplitude is very low,

by polyamide insulating discs

even with very high dynamic range

(90 db). The shelves are supported

are supported on adjustable steel needles, located on the metal racks (to decrease transmission). We placed four needles support because the mass of the equipment is not uniform. Regardless of this fact, in case that for aesthetic reasons or the

and pads neoprene maximum

(preventing possible movements

of horizontal traslation). The discs

absorption and blocking features

electronics measuring less than 11 cm wide, our company has shelves

#### Types of shelves:



TREATED GLASS SHELVES available for EXOTERYC and PRESTIGE racks.







#### STAINLESS STEEL PLATFORM FRAME

Descriptive text xxxxxxx





All racks are shipped 95% assembled

Any special & custom version upon request

# ACCESORIES RACK

MM ARTESANÍA AUDIO

#### CARBON FIBER ARMS UPGRADE

Descriptive text xxxxxxx



Descriptive text xxxxxxx





UPGRADE PACKING WOODEN BOXES



www.artesaniaaudio.com
info@artesaniaaudio.com





"Artesania Audio means exceptional quality and technology"

(ALTA FIDELIDAD, Spain)

"Parasitic noise disappears completely and a beautifully clean sound is the result"

(HAUTE FIDÉLITÉ, France)

"Artesania racks extract every last drop of potential from the components it supports" (HAUTE FIDÉLITÉ, France)

"The perfect rack? There are no shelves to flap about under your equipment, its arguably the best equipment support known"

(HI-FI NEWS, UK)

"Artesania Audio wants components to sound like themselves (in mechanical isolation), Blue Moon Award for Rack " (SIXMOONS, Switzerland)

" Incredibly neutral, the overall solidity and control of my system, Most Wanted Component award" (STEREO TIMES, USA)

"Music Sounded bigger, better recorded, you could hear more into the recording and the frequency extremes were as effortless and natural as the mid-band"

(HI-FI +, UK)

"The Artesania Rack possesses the ability to improve the overall sonic performance of any separate component or system as a whole "

(ENJOY THE MUSIC, USA)

Rozando la perfección · Touching perfection · 近乎完美 · निकट पूर्णता · ਪਿਛੰਦ । Verto de perfeição близкое совершенство · 完璧に近い · Proche de la perfection · 완벽에 가까운 · Perfektion in der Nähe